Shunosaurus

Shunosaurus, meaning "shu lizard", is a genus of sauropod dinosaur from Late Jurassic (Oxfordian) beds in Sichuan Province in China, approximately 159±2 million years ago. [1] The name derives from "Shu", an ancient name for the Sichuan province.

Contents

Discovery and species

Description

Classification

Paleobiology

References

Discovery and species



Skeletal cast mount, Tianjin Natural History Museum

The first fossil of Shunosaurus was discovered in 1977 by a students. of practising paleontological excavation at a road bank. The type species, Shunosaurus lii, was described and named by Dong Zhiming, Shiwu and Zhang Yihong in 1983. The generic name


derives from "Shu", an ancient name for Sichuan. The specific name honours hydrologist Li Bing, the governor of Sichuan in the third century BC.^[2]

The holotype, IVPP V.9065, was collected from the Lower Xiashaximiao Formation near Dashanpu, Zigong. It consists of a partial skeleton. Later about twenty more major specimens were discovered, including several complete or near-complete skeletons, skulls and iuveniles.^[3] making *Shunosaurus* one of the best anatomically known sauropods, with 94% of all skeletal elements identified. Shunosaurus skeletons are on display at the Zigong Dinosaur Museum in Zigong, Sichuan Province, and the Tianjin Natural History Museum.

Shunosaurus

Temporal range: Late Jurassic, 159 Ma

Pre€ € OS D C P T J K PgN



Mount in the Finnish Museum of **Natural History**

Scientific classification 🥖



Kingdom:	Animalia
Phylum:	Chordata
Clade:	Dinosauria
Clade:	Saurischia
Suborder:	†Sauropodomorpha
Clade:	†Sauropoda
Clade:	†Eusauropoda
Genus:	†Shunosaurus
	Dong <i>et al.</i> , 1983
Type species	

†Shunosaurus lii

Dong et al., 1983 Other species

■ †Shunosaurus jiangyiensis

Fu & Zhang, 2004

A second species, *S. ziliujingensis*, a name mentioned in the Zigong museum guide to indicate a smaller and older form, has never been formally described, and thus remains a *nomen nudum*.

Description

Shunosaurus was first estimated to be 11 metres (36 ft) long; later and more complete finds indicated a somewhat smaller size. In 2010 <u>Gregory S. Paul</u> estimated the length at 9.5 metres (31 ft), the weight at 3 metric tons (3.3 short tons). ^[4] Shunosaurus was very short-necked for a sauropod, being only "surpassed" in this respect by <u>Brachytrachelopan</u>. ^[5] The skulls found are mostly compressed or disarticulated and the interpretation of the head form has varied from broad, short and deep^[6] to extremely narrow and pointed. ^[7] The upper and lower jaws were strongly curved upwards, allowing them to function as a pair of garden shears. The teeth were fairly robust but elongated with a crown length of up to 8 centimetres (3.1 in). They show a unique combination of a cylindrical body ending in a spatulate tip. In 1989 it was disclosed that the tail ended in a <u>club</u>, ^[8] equipped on its top with two successive spikes formed by 5 centimetres (2.0 in)-long cone-shaped osteoderms probably used to fend off enemies.






Life restoration Skull

Classification

Shunosaurus was originally classified as a member of the <u>Cetiosaurinae</u>; in 1992 Dong assigned it to Shunosaurinae within the <u>Cetiosauridae</u>.^[9]

<u>Cladistic</u> analyses have rendered conflicting results. In 1995 <u>Paul Upchurch</u> published a study in which *Shunosaurus* belonged to the <u>Euhelopodidae</u> together with other Jurassic Chinese sauropods. However, an analysis by <u>Jeffrey Wilson</u> in 2002 indicated it had a very basal position within the <u>Eusauropoda</u>. Shunosaurus is perhaps related to <u>Rhoetosaurus</u> from <u>Queensland</u> in <u>Australia</u>.



Size comparison


The cladogram below shows a possible phylogenetic position:^[12]

Sauropoda

-Melanorosaurus

-Camelotia

-Blikanasaurus



Paleobiology

Its neck length indicates that *Shunosaurus* was a low browser. The form of its jaws is well-adapted to processing large amounts of coarse plant material.^[13]

Shunosaurus accounts for 90% of the fossils found in the Dashanpu fauna, showing it was a dominant and/ or common member of its habitat and environment. It shared the local Middle Jurassic landscape with other sauropods,
Datousaurus">Datousaurus, <a href="https://environment.com/environment.co



Tail-club

References

- 1. Wang, Jun; Ye, Yong; Pei, Rui; Tian, Yamin; Feng, Chongqin; Zheng, Daran; Chang, Su-Chin (2018-09-01). "Age of Jurassic basal sauropods in Sichuan, China: A reappraisal of basal sauropod evolution". *GSA Bulletin*. **130** (9–10): 1493–1500. doi:10.1130/B31910.1 (https://doi.o rg/10.1130%2FB31910.1). ISSN 0016-7606 (https://www.worldcat.org/issn/0016-7606).
- 2. Dong, Z., Zhou, S. & Zhang, Y. 1983. [Dinosaurs from the Jurassic of Sichuan]. *Palaeontologica Sinica*, New Series C 162(23): 1-136
- 3. Zhang Y., Yang D. & Peng G., 1984, "[New materials of *Shunosaurus* from the Middle Jurassic of Dashanpu, Zigong, Sichuan]", *Journal of Chengdu College of Geology* **2**: 1–12
- 4. Paul, G.S., 2010, The Princeton Field Guide to Dinosaurs, Princeton University Press p. 173
- 5. Paul, G.S., 2010, The Princeton Field Guide to Dinosaurs, Princeton University Press p. 175
- 6. Paul, G.S., 2010, The Princeton Field Guide to Dinosaurs, Princeton University Press p. 174
- 7. Zheng , Zhong (1996). *Cranial Anatomy of Shunosaurus and Camarasaurus (Dinosauria: Sauropoda) and the phylogeny of the Sauropoda*. Dissertation Texas Tech University. pp. 208
- 8. <u>Dong</u> Z., Peng G., Huang D. 1989. [The discovery of the bony tail club of sauropods]. *Vertebrata PalAsiatica* **27**: 219–224
- 9. <u>Dong Zhiming</u> (1992). *Dinosaurian Faunas of China*. China Ocean Press, Beijing. <u>ISBN</u> <u>3-540-52084-8</u>.
- 10. P. Upchurch. 1995. "The evolutionary history of sauropod dinosaurs". *Philosophical Transactions of the Royal Society of London B* **349**: 365-390
- 11. J. A. Wilson. 2002. "Sauropod dinosaur phylogeny: critique and cladistic analysis". *Zoological Journal of the Linnean Society* **136**: 217-276
- 12. J.A. Wilson, 2002, "Sauropod dinosaur phylogeny: critique and cladistic analysis", *Zoological Journal of the Linnean Society* **136**: 217-276
- 13. Chatterjee, S. & Zheng, Z. 2002. "Cranial anatomy of *Shunosaurus*, a basal sauropod dinosaur from the Middle Jurassic of China". *Zoological Journal of the Linnean Society* **136**(1): 145–169
 - Dong Zhiming (1988). Dinosaurs from China. China Ocean Press, Beijing & British Museum (Natural History). ISBN 0-565-01073-5.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Shunosaurus&oldid=955201243"

This page was last edited on 6 May 2020, at 14:06 (UTC).

Text is available under the <u>Creative Commons Attribution-ShareAlike License</u>; additional terms may apply. By using this site, you agree to the <u>Terms of Use and Privacy Policy</u>. Wikipedia® is a registered trademark of the <u>Wikimedia Foundation</u>, Inc., a non-profit organization.